


A WINDOW REPLACEMENT FOR FALL RIVER HIGH SCHOOL

44215 Walnut Street, McArthur, California

Copyright © 2015
 All ideas, designs, arrangements and plans indicated or represented by this drawing are owned by, and the property of, NICHOLS MELBURG ROSSETTO and were created, evolved and developed for use on, and in conjunction with, the specified project. None of such ideas, designs, arrangements or plans shall be used by, or disclosed to any person, firm or corporation for any purpose whatsoever without the written permission of NICHOLS MELBURG ROSSETTO.



**NICHOLS
MELBURG
ROSSETTO**
 ARCHITECTS + ENGINEERS
 300 KNOLLCREST DRIVE
 REDDING, CA 96002
 (530) 222-3300 (530) 222-3538 FAX
 http://www.nmrdesign.com

CONSULTANTS



APPLICABLE CODES

APPLICABLE CODES: ALL WORK PERFORMED & PRODUCTS FURNISHED SHALL COMPLY AS APPLICABLE WITH THE LATEST REGULATIONS OF:

- 2013 BUILDING STANDARDS ADMINISTRATIVE CODE, PART 1, TITLE 24 C.C.R.
- 2013 CALIFORNIA BUILDING CODE (CBC), PART 2, TITLE 24 C.C.R.
(2012 INTERNATIONAL BUILDING CODE VOLUMES 1-2 AND 2013 CALIFORNIA AMENDMENTS)
- 2013 CALIFORNIA ELECTRICAL CODE (CEC), PART 3, TITLE 24 C.C.R.
(2011 NATIONAL ELECTRICAL CODE AND 2013 CALIFORNIA AMENDMENTS)
- 2013 CALIFORNIA MECHANICAL CODE (CMC), PART 4, TITLE 24 C.C.R.
(2012 UNIFORM MECHANICAL CODE AND 2013 CALIFORNIA AMENDMENTS)
- 2013 CALIFORNIA PLUMBING CODE (CPC), PART 5, TITLE 24 C.C.R.
(2012 PLUMBING CODE AND 2013 CALIFORNIA AMENDMENTS)
- 2013 CALIFORNIA ENERGY CODE, PART 6, TITLE 24 C.C.R.
- 2013 CALIFORNIA FIRE CODE, PART 9, TITLE 24 C.C.R.
(2012 INTERNATIONAL FIRE CODE AND 2013 CALIFORNIA AMENDMENTS)
- 2013 CALIFORNIA EXISTING BUILDING CODE, PART 10, TITLE 24 C.C.R.
(2012 INTERNATIONAL EXISTING BUILDING CODE AND 2013 CALIFORNIA AMENDMENTS)
- 2013 CALIFORNIA "GREEN" BUILDING STANDARDS CODE, PART 11, TITLE 24 C.C.R.
- 2013 CALIFORNIA REFERENCED STANDARDS, PART 12, TITLE 24 C.C.R.
- TITLE 8 C.C.R., CHAPTER 4, SUB-CHAPTER 6-ELEVATOR SAFETY ORDERS
- TITLE 19 C.C.R., PUBLIC SAFETY, STATE FIRE MARSHAL REGULATIONS

APPLICABLE STANDARDS: ALL WORK PERFORMED & PRODUCTS FURNISHED SHALL COMPLY AS APPLICABLE WITH THE LATEST REGULATIONS OF:

- 2013 NFPA 13 AUTOMATIC SPRINKLER SYSTEMS
- 2013 NFPA 14 STANDPIPE SYSTEMS
- 2013 NFPA 17a WET CHEMICAL SYSTEMS
- 2013 NFPA 20 STATIONARY PUMPS
- 2013 NFPA 24 PRIVATE FIRE MAINS
- 2013 NFPA 72 NATIONAL FIRE ALARM CODE (CALIFORNIA AMENDED)
- 2013 NFPA 253 CRITICAL RADIANT FLUX OF FLOOR COVERING SYSTEMS
- 2013 NFPA 2001 CLEAN AGENT FIRE EXTINGUISHING SYSTEMS
- 2013 NFPA 80 STANDARD FOR FIRE DOORS & OTHER OPENING PROTECTIONS



GENERAL NOTES

- ALL WORK SHALL BE IN ACCORDANCE WITH APPLICABLE ADOPTED ORDINANCES, BUILDING CODES, AND FIRE PREVENTION CODES. REFER TO THE CODE SUMMARY FOR A LIST OF KNOWN APPLICABLE CODES. DISCREPANCIES BETWEEN THESE CODES AND THE CONSTRUCTION DOCUMENTS, IF DISCOVERED, SHALL PROMPTLY BE BROUGHT TO THE ATTENTION OF THE ARCHITECT. THE CONSTRUCTION DOCUMENTS SHALL NOT BE CONSTRUED AS PERMITTING WORK THAT DOES NOT COMPLY WITH APPLICABLE CODES.
- DIMENSIONS ARE TO FACE OF STUDS, CMU, OR SLAB, AND TO CENTERLINES OF STEEL MEMBERS, UNLESS NOTED OTHERWISE. DO NOT SCALE THESE DRAWINGS. DIMENSIONS NOTED AS "CLEAR" (CLR) ARE TAKEN TO THE FACE OF FINISH MATERIALS. VERIFY DIMENSIONS OF PREFABRICATED AND MANUFACTURED ITEMS AND COORDINATE ROUGH OPENINGS ACCORDINGLY.

DRAWING INDEX

A000	TITLE SHEET
A100	WINDOW SCHEDULE
A210	DEMO/NEW WINDOW PLANS & EXTERIOR ELEVATIONS
A700	NEW WINDOW DETAILS

PROJECT DATA

I OCCUPANCY GROUP: E
 II CONSTRUCTION TYPE: TYPE V, NON-RATED

PROJECT DESCRIPTION


THE PROJECT CONSISTS OF REMOVAL OF EXISTING STEEL WINDOWS, REPLACEMENT WITH NEW ALUMINUM WINDOWS WITH ASSOCIATED INTERIOR & EXTERIOR WINDOW TRIM & WALL INFILL FRAMING.

LEAD CERTIFICATION

THE CONTRACTOR IS REQUIRED BY THE ENVIRONMENTAL PROTECTION AGENCY TO FOLLOW LEAD-SAFE PRACTICES & THE REQUIREMENTS OF THE EPAS LEAD-BASED PAINT RENOVATION, REPAIR & PAINTING PROGRAM RULE. THE CONTRACTOR SHALL FURNISH EPA LEAD-BASE REMOVAL CERTIFICATION PRIOR TO BEGINNING WORK.

SYMBOLS

	DETAIL NUMBER SHEET WHERE DETAIL IS DRAWN		WINDOW TYPE
			KEYNOTE



PROJECT NAME

A WINDOW REPLACEMENT FOR FALL RIVER HIGH SCHOOL

FALL RIVER JOINT UNIFIED SCHOOL DISTRICT
 MCARTHUR, CA

SHEET TITLE

TITLE SHEET

DRAWING STATUS

CONSTRUCTION DOCUMENT SET
 NOT FOR CONSTRUCTION

REVISIONS


Sym.	Description	By	Date

Drawn By	DF
Checked By	WT
Date Drawn	5.6.15
Scale	AS NOTED
Job No.	14-2674.00

SHEET No.
A000

SITE PLAN (NOT TO SCALE)


LogIn Name: Dean F
 Plot Date: May 07, 2015 - 8:29 am
 File Name: N:\projects\2015\14-2674\00 FRSD Window Replacement\0-CAD TitleSheet\PHASE 1\PHASE ONE - TITLE.dwg
 \$PLOT\$, C:\Users\Dean F\AppData\Local\Temp\14-2674-00 FRSD Window Replacement\0-CAD TitleSheet\PHASE 1\PHASE ONE - TITLE.dwg



**NICHOLS
 MELBURG
 ROSSETTO**
 ARCHITECTS + ENGINEERS
 300 KNOLLCREST DRIVE
 REDDING, CA 96002
 (530) 222-3300 (530) 222-3538 FAX
 http://www.nmrdesign.com

CONSULTANTS

LICENSE STAMPS



PROJECT NAME
**A WINDOW
 REPLACEMENT
 FOR
 FALL RIVER
 HIGH
 SCHOOL**

FALL RIVER JOINT
 UNIFIED SCHOOL DISTRICT
 MCARTHUR, CA

SHEET TITLE
WINDOW TYPES

1
**DRAWING STATUS
 CONSTRUCTION
 DOCUMENT SET
 NOT FOR CONSTRUCTION**

REVISIONS

Sym.	Description	By	Date

Drawn By	NMR
Checked By	
Date Drawn	5.6.15
Scale	AS NOTED
Job No.	14-2674.00

SHEET No.

A100

Fall River High School Window Schedule Ordering Information						Window Spec Information Bronze aluminum, thermally broken frame Low E tinted with option for reflective glazing		04/15/15		
Window Count	Window ID Number	Order Window Width	Order Window Height	Vent	Temp	Window Schedule Symbol	Quantity	Installation Notes	Added Framing or Alterations	Special Notes
New framing will surround window openings										
1	C1	85-5/8"	39-1/2"			T40	1	Slide new window thru created opening & trim		Center vertical mullion
2	C2	88-7/8"	39-1/2"			T41	1	"		Center vertical mullion
3	C3	88-1/2"	39-1/2"			T42	2	"		Center vertical mullion
Ticket booth windows										
4	C4	47-1/2"	43-1/2"	X	X	V43	1	Slide new window thru created opening & trim	Pass thru shelf will be adapted to window extrusion	12" single hung vent at bottom for pass thru
	C5			X	X			"	Vertical mullion between C4 & C5	12" single hung vent at bottom for pass thru
New framing will surround window opening										
5	C6	88-1/2"	39-1/2"			T42		Slide new window thru created opening & trim		Center vertical mullion
Exterior trim will be removed for installation and replaced with new trim										
6	C7	42"	45-1/2"			T44	1	Slide new window thru existing jambs & trim	Bottom nail fin ripped off so window rests on sill	
7	C8	41-1/2"	45-1/2"		X	T45	1	"	Caulk exterior with SNP-1 or equivalent	Temper window adjacent door
129" width by 48" height, add 2X to all sides of opening & two 4X posts to create three even openings in width										
8	C9	39-1/8"	44-1/2"		X	T46	3	Slide new window thru created opening & trim		C9 window tempered, distance to door
9	C10	39-1/8"	44-1/2"			T46		Slide new window thru created opening & trim		
10	C11	39-1/8"	44-1/2"			T46		Slide new window thru created opening & trim		
10	Total Windows						10			

